

# Trusted. Tested. Tough.®



## Zoeller Engineered Products

### *Vertical Turbine Pumps*

Zoeller is a family-owned, American company whose turbine pump facility was born in the most abrasive, deep well water conditions of west Texas, delivering durable, custom pump solutions when and where you need them.

- Customized, precision pump solutions
- Personal attention and quick shipping
- A 65-year reputation of excellence



**For assistance, contact your local Zoeller Engineered Products representative**

**Refer to the Sales Support tab at [ZoellerEngineered.com](http://ZoellerEngineered.com)**

# The Zoeller Family of Pump Solutions Advantage

Your reputation is staked on the pumps you put in the ground. At Zoeller, we stand behind you by using only premium components. Every detail matters: from the design of our bowls, to the workmanship in our production processes, to the way we package our pumps for shipment. We leave nothing to chance.

## FOR SHORT SET AND DEEP WELL APPLICATIONS

Stainless steel bolting is standard.

Free competitor column, tube, and shaft adaptations.

Open and enclosed impeller configurations.

Bowls are glass lined to optimize efficiency and durability.

Shaft and bushing upgrades available.





Bowl Size	Model *	1800RPM Flow Range (GPM)	Impeller Style	Standard Impeller Material	Standard Bowl Material	Bowl style
7"	5821	100 - 320	ENCLOSED	C876 BRZ	Glass Lined CL30 Cast Iron	Flanged
8"	5835	125 - 450	ENCLOSED	C876 BRZ		
8"	5835	125 - 450	SEMI-OPEN	C876 BRZ		
9"	5841	250 - 750	ENCLOSED	C876 BRZ		
9"	5841	250 - 750	SEMI-OPEN	C876 BRZ		
10"	5856	150 - 500	ENCLOSED	304SS		
10"	5857	240 - 850	ENCLOSED	304SS		
11"	5860	250 - 750	ENCLOSED	C876 BRZ		
11"	5861	400 - 1,300	ENCLOSED	C876 BRZ		
11"	5861	400 - 1,300	SEMI-OPEN	C876 BRZ		
12"	5871	600 - 1,700	ENCLOSED	C876 BRZ		
12"	5871	750 - 1,700	SEMI-OPEN	C876 BRZ		
14"	5884	1500 - 3,250	ENCLOSED	C876 BRZ		
14"	5884	1500 - 3,250	SEMI-OPEN	C876 BRZ		
14"	5882	2250 - 4,500	ENCLOSED	C876 BRZ		
16"	5893	3000 - 6,000	ENCLOSED	C876 BRZ		

\*Short Set models listed, factory assembled up to 30 feet long

Bowl assembly replacements and complete well and short set pumps available.

Multiple electric motor and RAGD options available.



# TESTING *Tested here for your success out there*

- Pumps tested from 230V single phase to 6600V 3phase
- Testing includes vibration analysis, phase imbalance and stabilized motor temperature
- Remote testing is available, allowing customers to view their pumps during the test process, from anywhere in the world



- Skilled sales team to size and quote product needs quickly
- Committed to carrying inventory for the entire season
- Expert machinists and assemblers provide quality, custom pumps fast



## Trusted. Tested. Tough.®



MAIL TO: P.O. BOX 16347 • Louisville, KY 40256-0347  
SHIP TO: 3649 Cane Run Road • Louisville, KY 40211-1961  
(502) 778-2731 • 1 (800) 928-PUMP • FAX (502) 774-3624

Trusted. Tested. Tough.®

visit our web site:  
[zoellerengineered.com](http://zoellerengineered.com)